


Central California Foundation for Health
Notice to Attorney General Pursuant to CA Corp. Code Section 5920

Sect. 999.5(d)(5)(J)

A description of compliance with the Alfred E. Alquist Hospital Facilities Seismic Safety Act of 1983, as amended by the California Hospital Facilities Seismic Safety Act (Health & Saf. Code, Sections 129675-130070), for each health facility or facility that provides similar health care that is the subject of the agreement or transaction, including the certified Structural Performance Category of every building affected by the agreement or transaction and a copy of every final determination letter received from the Office of Statewide Health Planning and Development for every building affected by the agreement or transaction.

The Applicant has four structures that are subject to the above-referenced seismic safety law. The Applicant's Main Building (BLD-01049) has received an OSHPD SPC rating of "2" and an NPC rating of "1." The Applicant has no current, definitive plans for bringing this building into post-2030 compliance. The Applicant's three other buildings that are subject to compliance with the seismic law are the "Radiology Addition" (BLD-01050), the "ICU/TCU Facility" (BLD-01051) and a "Med Gases" area (BLD-01052). All have an SPC rating of "4" and an NPC rating of "1." Attached is an OSHPD schedule that reflects these ratings.



SPC/NPC Ratings of Acute Care Hospital Buildings as of 5/31/2018

County Code	Facility Nbr	Facility Name	City	Building Nbr	Building Name	Building Status	SPC Rating *	2007 HAZUS Score (%)	2010 HAZUS Score (%)	OSHPD NPC Rating **
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-05896	Cardiac Rehab	No Acute Care OSHPD Bldg	N/A			N/A
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-05897	Physical Therapy / Regional Human Resources	No Acute Care OSHPD Bldg	N/A			N/A
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-05902	Ambulance Porte Cochere	In Service	5s			2
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-06326	Kitchen / Shell Bldg.	In Service	5s			4s
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-06357	Pediatric Pavilion for Emergency Care	In Service	5s			4s
15 - Kern	10207	Bakersfield Memorial Hospital	Bakersfield	BLD-06373	Lobby Expansion.	In Service	5s			4s
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-01049	Main Building	In Service	2	0.00		1
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-01050	Radiology Addition	In Service	4			1
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-01051	ICU/TCU Facility	In Service	4			1
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-01052	Med Gases Ancillary	In Service	4			1
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-01053	Med Gases	Equipment Yard	N/A			1
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-05953	SNF Building	Skilled Nursing Only	N/A			N/A
15 - Kern	12765	Delano Regional Medical Center	Delano	BLD-06162	Generator Yard	Proposed	N/A			
15 - Kern	10219	Good Samaritan Hospital	Bakersfield	BLD-00811	Original Hospital & Additions	In Service	2	0.02		2
15 - Kern	10219	Good Samaritan Hospital	Bakersfield	BLD-00812	Pediatrics Wing & Additions	In Service	2		0.19	2
15 - Kern	10219	Good Samaritan Hospital	Bakersfield	BLD-00813	Patient Wing	In Service	2		0.14	2
15 - Kern	10219	Good Samaritan Hospital	Bakersfield	BLD-00814	Intensive Care Unit Addition	In Service	4			2
15 - Kern	16245	Healthsouth Bakersfield Rehabilitation Hospital	Bakersfield	BLD-00281	East Building	In Service	4			2
15 - Kern	16245	Healthsouth Bakersfield Rehabilitation Hospital	Bakersfield	BLD-00282	West Building	In Service	4			2

* 2s, 3s, 4s and 5s indicate SPC/NPC rating self-reported by the hospital and not verified by OSHPD

** 1s is a temporary rating assigned to seismically separate buildings created by retrofits

IND - HAZUS score cannot be determined as building is located on a fault and is equivalent to a HAZUS fail